



1 EXISTING / DEMOLITION FLOOR PLAN - ROOM 1050 & 1051
SCALE: 1/4" = 1'-0"



2 ROOM 1050 - NEW
SCALE: 1/4" = 1'-0"



3 COFFEE BAR ELEVATION
SCALE: 1/2" = 1'-0"

DEMOLITION KEY NOTES

- 1 REMOVE EXISTING BASE AND WALL CABINETS WITH COUNTERTOP. REMOVE EXISTING WIREMOLD AND CAP AT SOURCE. REF. ELECTRICAL. PREP WALL FOR NEW FINISHES.
- 2 REMOVE EXISTING SINK AND REMOVE PLUMBING SUPPLY LINES TO NEAREST VALVE LOCATION. PREP FOR NEW SINK. REFER TO PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- 3 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED HARDWARE. PREP OPENING FOR NEW DOOR PACKAGE WITH SIDELITE.
- 4 REMOVE EXISTING CUBICLE SYSTEMS FURNITURE. RELOCATE SYSTEM TO ROOM 1062 OR AS DIRECTED BY UNF FACILITIES REPRESENTATIVE.
- 5 EXISTING DOOR AND FRAME TO REMAIN. DOOR TO BE CLOSED (NOT LOCKED), AND LEFT IN PLACE.
- 6 EXISTING WALL INFILL TO BE REMOVED. PREP WALL FOR NEW METAL STUD INFILL.
- 7 REMOVE EXISTING PLEXI-GLASS INFILL PANEL @ EXTERIOR WINDOW. PREP AREA TO REVEICE FRAMED INFILL (METAL STUD TRACK AND DRYWALL).



LEGEND:


- AREA NOT IN SCOPE
- EXISTING CONSTRUCTION TO BE REMOVED
- NEW WALL INFILL
- NEW PARTITION WALL
- DOOR TAG, REFER TO DOOR SCHEDULE
- WALL TAG, REFER TO PARTITION TYPES
- NEW FLOOR TRANSITION

CONSTRUCTION KEY NOTES


- 1 PROVIDE METAL FRAME WALL INFILL. PROVIDE SMOOTH TRANSITION BETWEEN NEW INFILL AND EXISTING
- 2 PROVIDE NEW 3x7' DOOR WITH SIDE LITE IN EXISTING OPENING.
- 3 FURNITURE PROVIDED BY OWNER
- 4 PROVIDE NEW METAL STUD AND GYP. BD. INFILL BETWEEN EXISTING MASONRY WALL AND WINDOW.
- 5 PROVIDE NEW FINISH ON EXISTING MASONRY WALL. PATCH/FILL ANY/ALL EXISTING HOLES LEFT FROM CABINET REMOVAL AND PRIME/PAINT WALL AS SCHEDULED.
- 6 PROVIDE NEW COFFEE BAR SOLID SURFACE COUNTERTOP/BACKSLASH AND CABINET. REFERENCE SPECIFICATIONS FOR ADDITIONAL INFORMATION.

7/16/2021 11:01:29 AM
 \\files\projects\2021\202102_UNF_Arena_Office_Relocation\202102_06_Drawings\Working\REV\PHASE 1 - FOR CONSTRUCTION\UNF_ARENA_CLASSROOMS AND DONOR ROOM_PHASE 1.rvt





2 NEW FLOOR PLAN - ROOM 1062
SCALE: 1/4" = 1'-0"



1 EXISTING / DEMOLITION FLOOR PLAN - ROOM 1062
SCALE: 1/4" = 1'-0"

DEMOLITION KEY NOTES

- 1 NOT USED
- 2 REMOVE EXISTING CARPET AND VINYL BASE MOLDING. PREP SLAB TO RECEIVE NEW CARPET TILE AS SCHEDULED. PREP PERIMETER WALLS TO RECEIVE NEW VINYL BASE MOLDING AS SCHEDULED.
- 3 PREP WALLS FOR NEW FINISH AS SCHEDULED.


NEW CONSTRUCTION KEY NOTES

NOTE: EXISTING FURNITURE SHALL BE RELOCATED BY CONTRACTOR FROM ROOMS 2004, 2005, AND 1050. ADDITIONAL FURNITURE PROVIDED BY OWNER SHALL BE RELOCATED AS REQUIRED BY CONTRACTOR.


- 1 PROVIDE REQUIRED POWER, TEL/DATA INFRASTRUCTURE TO SUPPORT EXISTING SYSTEMS FURNITURE. COORDINATE WITH ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- 2 PROVIDE NEW CARPET TILE AND BASE MOLDING. REFERENCE FINISH SCHEDULE FOR ADDITIONAL INFORMATION.
- 3 PROVIDE NEW PAINTED FINISH ON WALLS, AS SCHEDULED.
- 4 N/A
- 5 PROVIDE NEW DOOR HARDWARE AS SPECIFIED.

LEGEND:

- AREA NOT IN SCOPE
- EXISTING CONSTRUCTION TO BE REMOVED
- NEW WALL INFILL
- NEW PARTITION WALL
- DOOR TAG, REFER TO DOOR SCHEDULE
- WALL TAG, REFER TO PARTITION TYPES
- NEW FLOOR TRANSITION



Revision	Description
1	ADDENDUM 001




DEMOLITION KEY NOTES

- 1 REMOVE EXISTING BASE AND WALL CABINETS WITH COUNTERTOP. PREP WALL FOR NEW FINISHES.
- 2 REMOVE EXISTING SINK AND CAP PLUMBING SUPPLY LINES.
- 3 REMOVE EXISTING SYSTEMS FURNITURE. RELOCATE TO ROOM 1062 OR AS DIRECTED BY UNF FACILITIES REPRESENTATIVE.
- 4 PROVIDE TEMPORARY DUST-PROOF ENCLOSURE TO PROTECT EXISTING AUDIO-VISUAL EQUIPMENT. COORDINATE THIS WORK WITH APPROVED PHASING SCHEDULE. CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING A CLEAN ENVIRONMENT FOR THE EXTENT OF THE CONSTRUCTION WORK IN THIS AREA.
- 5 REMOVE PORTION OF CEILING GRID SYSTEM AND TILE TO ALLOW FOR WALL CONSTRUCTION TO EXTEND FROM TRUE FLOOR (SLAB) TO TRUE CEILING (DECK ABOVE).
- 6 DEMOLISH EXISTING HVAC TRUNK LINES AS REQUIRED (REF: MECH DRAWINGS) AND PREP ROOM TO RECEIVE NEW DUCTWORK AND EQUIPMENT AS REQUIRED. (REF: MECH DRAWINGS).
- 7 REMOVE EXISTING FOLDING ACOUSTIC PARTITION.
- 8 REMOVE EXISTING FLOORING AND ANY RESIDUAL ADHESIVE.

1 DEMO FLOOR PLAN - ROOM 2003 AND BALCONY
SCALE: 1/4" = 1'-0"

LEGEND:

- AREA NOT IN SCOPE
- EXISTING CONSTRUCTION TO BE REMOVED
- NEW TEMPORARY WALL, REFER TO DETAIL 1/A201
- NEW PARTITION WALL
- DOOR TAG, REFER TO DOOR SCHEDULE
- WALL TAG, REFER TO PARTITION TYPES




CONSTRUCTION KEY NOTES

- 1 PROVIDE NEW FULL-HEIGHT METAL STUD WALL (TRUE FLOOR (SLAB) TO TRUE CEILING (DECK ABOVE)). REFERENCE TYPICAL WALL TYPES FOR ADDITIONAL INFORMATION. ON AV CONTROL ROOM SIDE OF WALL, DO NOT PROVIDE FINISHED/PAINTED DRYWALL. COVER WALL WITH ACOUSTIC PANEL FINISH AS SPECIFIED.

2 NEW FLOOR PLAN - ROOM 2003 AND BALCONY
SCALE: 1/4" = 1'-0"


7/16/2021 11:01:50 AM \\files\projects\2021\202102_UNF_Arena_Office_Relocation\202102_06_Drawings\Working\REV\PHASE 1 - FOR CONSTRUCTION\UNF_ARENA_CLASSES\ROOMS AND DONOR ROOM_PHASE 1.rvt

BHIDE & HALL ARCHITECTS, P.A.
LIC. NO. AR0011549
1329 KINGSLEY AVENUE, SUITE C ORANGE PARK, FLORIDA 32073
P/E (904) 264-1919



UNF UNIVERSITY of NORTH FLORIDA
UNIVERSITY OF NORTH FLORIDA
ARENA OFFICE RELOCATION

ARCHITECT LICENSE NO.
DAVID S. SHIVELY FL# AR99028




Revision	Date
1 ADDENDUM 001	07/16/2021

NEW FLOOR PLAN
SECOND FLOOR


DATE: 05/17/21
D.B.: P.R.L.
C.B.: D.S.S.
JOB NO: 202102

A201
FOR CONSTRUCTION

DOOR SCHEDULE



PARTITION TYPE MARK	FRAMING			DETAILS		ATTN THK	FIRE RTG	TESTED ASSEMBLY	STC RTG	NOTES
	THK (GA)	DEPTH	SPACING	TOP	BOT					
A3	20	3-5/8"	24"			3"	N/A	YES	STC 51: TEST RAL-TL-90-166	
A6	20	6"	24"			5"	N/A	YES	STC 56: TEXT RAL-TL-87-139	
A8	20	8"	24"			5"	N/A	N/A	N/A	




PARTITION TYPE MARK	FRAMING			DETAILS		ATTN THK	FIRE RTG	TESTED ASSEMBLY	STC RTG	SHEET NOTES
	THK (GA)	DEPTH	SPACING	TOP	BOT					
F2	20	1 1/2"	16"			N/A	N/A	N/A	N/A	

ROOM FINISH SCHEDULE							Area	Comments
NO	ROOM NAME	FLOOR	BASE	WALL	CEILING			
1050	WOMENS BASKETBALL	CPT-1	RB-1	PT-1	ACT-1		311 SF	
1050-B	OFFICE	CPT-1	RB-1	PT-1	ACT-1		189 SF	
1050-C	OFFICE	CPT-1	RB-1	PT-1	ACT-1		123 SF	
1050-D	OFFICE	CPT-1	RB-1	PT-1	ACT-1		114 SF	
1050-E	OFFICE	CPT-1	RB-1	PT-1	ACT-1		110 SF	
1050-F	OFFICE	CPT-1	RB-1	PT-1	ACT-1		117 SF	
1051	CONFERENCE	CPT-1	RB-1	PT-1	ACT-1		128 SF	
1062	ATHLETIC OFFICES	CPT-1	RB-1	PT-1	ACT-1		1,516 SF	


Number	Location	Type	Door				Frame Type	Frame Details			Hardware Set	Remarks
			Width	Height	Material	Finish		Head	Jamb	Sill		
1050	CORRIDOR	EXST	4' - 0"	7' - 0"	WD	N/A	HM-1				N/A	EXST DOOR FRAME AND HARDWARE TO REMAIN.
1050B	OFFICE	A	3' - 0"	7' - 0"	WD	PT	HM-1	4/6 A1001	5/A1001		1	
1050C	OFFICE	A	3' - 0"	7' - 0"	WD	PT	HM-1	4/6 A1001	5/A1001		1	
1050D	OFFICE	A	3' - 0"	7' - 0"	WD	PT	HM-1	4/6 A1001	5/A1001		1	
1050E	OFFICE	A	3' - 0"	7' - 0"	WD	PT	HM-1	4/6 A1001	5/A1001		1	
1050F	OFFICE	A	3' - 0"	7' - 0"	WD	PT	HM-1	4/6 A1001	5/A1001		1	
1051A	CONFERENCE	A	3' - 0"	7' - 0"	WD	PT	HM-1	4/6 A1001	5/A1001		1	
1062-A	ATHLETIC OFFICES	EXST.	6' - 0"	7' - 0"	WD	N/A	HM-2				N/A	EXST: 90 MIN FIRE RATED DOOR, HARDWARE, AND FRAME TO REMAIN
1062-B	ATHLETIC OFFICES	EXST.	3' - 0"	7' - 0"	HM	PT					N/A	EXST EXTERIOR DOOR AND HARDWARE TO REMAIN (NEW PAINTED FINISH). PROVIDE NEW WEATHERSTRIPPING SIMILAR TO PEMKO 322_SPK ADJUSTABLE JAMB WEATHERSTRIP
1062-C	ATHLETIC OFFICES	EXST.	6' - 0"	7' - 0"	WD	N/A	HM-2				N/A	REMOVE, CLEAN AND RE-INSTALL EXISTING HARDWARE. PROVIDE NEW ADJUSTABLE ASTRAGAL (SURFACE MOUNTED) EQUAL TO PEMKO 351_S
1063	ATHLETIC OFFICES	EXST.	6' - 0"	7' - 0"	WD	N/A	HM-2				N/A	EXST. DOOR, HARDWARE, AND FRAME TO REMAIN

DOOR SCHEDULE LEGEND	
PR	PAIR
WD	WOOD
HM	HOLLOW METAL
PT	PAINT




DOOR TYPES

SCALE: 1/4" = 1'-0"




FRAME TYPES

SCALE: 1/4" = 1'-0"




6 INT. WINDOW HEAD DETAIL

SCALE: 1 1/2" = 1'-0"




4 INT. DOOR HEAD, TYP.

SCALE: 1 1/2" = 1'-0"




7 INT. WINDOW JAMB DETAIL

SCALE: 1 1/2" = 1'-0"




5 INT. DOOR JAMB, TYP.

SCALE: 1 1/2" = 1'-0"




3 SECTION AT WINDOW

SCALE: 1/2" = 1'-0"





1 MULLION DETAIL


SCALE: 1 1/2" = 1'-0"



2 WALL DETAIL AT GLAZING


SCALE: 1 1/2" = 1'-0"






PARTIAL FIRST FLOOR PLAN - ROOM 1062/1063 - LIGHTING

8' 6' 4' 2' 0' 8' 16'
 GRAPHIC SCALE: 1/8" = 1'-0"




PARTIAL FIRST FLOOR PLAN - ROOM 1062/1063 - SYSTEMS

8' 6' 4' 2' 0' 8' 16'
 GRAPHIC SCALE: 1/8" = 1'-0"



PARTIAL FIRST FLOOR PLAN - ROOM 1062/1063 - ELECTRICAL

8' 6' 4' 2' 0' 8' 16'
 GRAPHIC SCALE: 1/8" = 1'-0"




WIRE-MOLD DETAIL

NOT TO SCALE

NOTES:


- ② 3 #12 IN 1/2" CONDUIT TO UNSWITCHED EMERGENCY POWER CIRCUIT.
- ③ 3 #12 IN 1/2" CONDUIT TO PANEL. PROVIDE 1 POLE, 20 AMP CIRCUIT BREAKER.
- ⑥ NOT USED.
- ⑦ PROVIDE WIREMOLD RISER, SEE DETAIL.

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY NAMIR A. HADDAD ON THE DATE ADJACENT TO THE SEAL.
 PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.




KEY PLAN

NOT TO SCALE



ENGINEER LICENSE NO.
 NAMIR A. HADDAD P.E. 31967



Seal / Signature

Revision	Date

NEW FLOOR PLANS ELECTRICAL

DATE: 05/18/21
 D.B.: AWIN/H
 C.B.: NAH
 JOB NO: 202102

E3.2
 75% REVIEW